

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

1 Identification

- **Product identifier**
- **Trade name:** 505 CRF Oil System Treatment
- **Product code:** DSI 1040
- **Recommended use and restriction on use**
- **Recommended use:** Automotive Care.
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
ATS Chemical LLC
515 Wyoming Blvd SE, Suite A
Albuquerque, NM 87123
505-265-5077
sales@atsnm.com
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 3 H226 Flammable liquid and vapor.
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· **Label elements**

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS07 GHS08

· **Signal word:** Danger

· **Hazard statements:**

- H226 Flammable liquid and vapor.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H304 May be fatal if swallowed and enters airways.

· **Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.

(Cont'd. on page 2)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 1)






- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves and eye protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P331 Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

Trade Secret Ingredient	 Flam. Liq. 3, H226  Skin Irrit. 2, H315; Skin Sens. 1, H317	60-70%
Trade Secret Ingredient	 Flam. Liq. 3, H226  Asp. Tox. 1, H304	10-20%
Trade Secret Ingredient	 Flam. Liq. 3, H226	10-20%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

- Supply fresh air.
- Provide oxygen treatment if affected person has difficulty breathing.
- Seek medical help for symptoms or if unconscious.
- In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact:**

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- Remove contact lenses if worn.

· **After swallowing:**

- Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 2)

Do not induce vomiting; immediately call for medical help.
A person vomiting while lying on their back should be turned onto their side.

· **Most important symptoms and effects, both acute and delayed:**

Breathing difficulty
Dizziness
Coughing
Allergic reactions
Irritant to skin and mucous membranes.
Gastric or intestinal disorders when ingested.

· **Danger:**

May be fatal if swallowed and enters airways.
Danger of impaired breathing.

· **Indication of any immediate medical attention and special treatment needed:**

If swallowed, gastric irrigation with added, activated carbon.
If swallowed or in case of vomiting, danger of entering the lungs.
If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.
Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

Foam
Gaseous extinguishing agents
Carbon dioxide
Fire-extinguishing powder
Water fog / haze

· **For safety reasons unsuitable extinguishing agents:**

Water stream.
Water spray

· **Special hazards arising from the substance or mixture**

Flammable liquid and vapor.
Formation of toxic gases is possible during heating or in case of fire.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.
Wear fully protective suit.

· **Additional information:**

Eliminate all ignition sources if safe to do so.
Cool endangered containers with water fog.
Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.

(Cont'd. on page 4)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 3)

Keep away from ignition sources.

For large spills, wear protective clothing.

· **Environmental precautions**

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

· **Methods and material for containment and cleaning up**

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Avoid breathing mist, vapors, or spray.

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

Keep out of reach of children.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

Flammable liquid and vapor.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

Trade Secret Ingredient

WEEL (USA)	Long-term value: 30 ppm
------------	-------------------------

Trade Secret Ingredient

PEL (USA)	Long-term value: 525 mg/m ³ , 100 ppm
-----------	--

REL (USA)	Long-term value: 525 mg/m ³ , 100 ppm
-----------	--

(Cont'd. on page 5)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 4)

TLV (USA)	Short-term value: 532 mg/m ³ , 100 ppm Long-term value: 266 mg/m ³ , 50 ppm
EL (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm
EV (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm
LMPE (Mexico)	Short-term value: 100 ppm Long-term value: 50 ppm

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Engineering controls:** Provide adequate ventilation.

· **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Protection may be required for spills.

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures** No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

(Cont'd. on page 6)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 5)

· pH-value:	Not determined.
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	173.3-198.9 °C (344-390 °F)
· Flash point:	57.8 °C (136 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Not determined.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties:	Not determined.
· Vapor pressure at 37.8 °C (100 °F):	0.6
· Density:	
Relative density:	0.8534
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Partly miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Flammable liquid and vapor.
Reacts with oxidizing agents.
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**
Under fire conditions only:

(Cont'd. on page 7)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

Carbon monoxide and carbon dioxide

(Cont'd. of page 6)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

- Ingestion.
- Inhalation.
- Eye contact.
- Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** Toxic to aquatic life with long lasting effects.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
- Avoid release to the environment.
- Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 8)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 7)

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· **Uncleaned packagings**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT** Not regulated.
· **ADR, IMDG, IATA** UN2052

· **UN proper shipping name**

· **DOT** Not regulated.
· **ADR, IMDG, IATA** DIPENTENE, Mixture

· **Transport hazard class(es)**

· **DOT**
· **Class** Not regulated.

· **ADR**



· **Class** 3 (F1)
· **Label** 3

· **IMDG, IATA**



· **Class** 3
· **Label** 3

· **Packing group**

· **DOT** Not regulated.
· **ADR, IMDG, IATA** III

· **Environmental hazards**

· **Marine pollutant:**

(Cont'd. on page 9)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 8)



Yes

· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
· EMS Number:	F-E,S-E

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
--	-----------------

· **Transport/Additional information:**

· **DOT**

· **Remarks:** Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

(Cont'd. on page 10)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 9)

- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Hazardous Material Identification System (HMIS):

HEALTH: 2

FLAMMABILITY: 2

PHYSICAL HAZARD: 0

- **Date of preparation / last revision** June 06, 2018 / -

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Cont'd. on page 11)

Safety Data Sheet
Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: June 06, 2018

Revision: June 06, 2018

Trade name: 505 CRF Oil System Treatment

(Cont'd. of page 10)

REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor-internet/registry/substreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com